

ELEKTROTECHNICKÝ ZKUŠEBNÍ ÚSTAV



ELECTROTECHNICAL TESTING INSTITUTE - CZECH REPUBLIC
ELEKTROTECHNISCHE PRÜFANSTALT - TSCHHECHISCHE REPUBLIK
INSTITUT ELECTROTECHNIQUE D'ESSAIS - RÉPUBLIQUE TCHÉQUE
ЭЛЕКТРОТЕХНИЧЕСКИЙ ИСПЫТАТЕЛЬНЫЙ ИНСТИТУТ - ЧЕШСКАЯ РЕСПУБЛИКА

Pod lisem 129/2, Troja, 182 00 Praha 8

CERTIFICATE

No.: 1240325

Product: Air termination rods

Type: JP, JD (see Annex)

Rating: FeZn see Enclosure

Ordering firm: KOVOBLESK KPS OPAVA s.r.o.
Radkov 15, 747 83 Radkov, Czech Republic

Manufacturer: KOVOBLESK KPS OPAVA s.r.o.
Radkov 15, 747 83 Radkov, Czech Republic

Trade mark:

The test results are stated in the test-report No.: 240257-01/01 of: 26.06.2024

A sample of the product was found to be in conformity with:
ČSN EN IEC 62561-2 ed. 2:2018

Other data:

The validity of the certificate is limited to: 01.07.2027

02.07.2024

Prague

Mgr. Miroslav Sedláček
Head of Certification Body



* C E R / 1 2 4 0 3 2 5 *

240257-01

Lightning rods Ø 16 mm, FeZn

Lightning rods (with straight ending)		
indication	dimension	
	L (mm)	Type - ending
JP10	1000	Straight without mounting
JP 15	1500	
JP 20	2000	
JP 30	3000	
JP 40	4000	
JP 50	5000	

Lightning rods (with thread M 16 into concrete stand)		
indication	dimension	
	L (mm)	Type - ending
JP 10/ M16	1000	thread M16 into concrete stand
JP 15/ M16	1500	
JP 20/ M16	2000	
JP 30/ M16	3000	
JP 40/ M16	4000	
JP 50/ M16	5000	

indication	Lightning rods (with liner)	
	L (mm)	Type - ending
JP 15/ liner	1500	spike
JP 20/ liner	2000	

Lightnings rods (with a wooden wanted)		
indication	dimension	
	L (mm)	Type - ending
JD 10	1000	Wanted 10x120 (into the wood)
JD 15	1500	
JD 20	2000	

Lightning rods Ø 18 mm, FeZn

Lightning rods (with straight end)		
Indication	dimension	
	L (mm)	Type – Ending
JP 10	1000	Straight without mounting
JP 15	1500	
JP 20	2000	
JP 30	3000	
JP 40	4000	
JP 50	5000	

Lightning rods (with thread M16 into concrete stand)		
Indication	dimension	
	L (mm)	Type - Ending
JP 10/M16	1000	thread M16 into concrete stand
JP 15/M16	1500	
JP 20/M16	2000	
JP 30/M16	3000	
JP 40/M16	4000	
JP 50/M16	5000	

Lightnings rods (with a wooden wanted)		
indication	dimension	
	L (mm)	Type - ending
JD 10	1000	Wanted 10x120 (into the wood)
JD 15	1500	
JD 20	2000	

